Contents

Akers RP, O'Connell RJ: The contribution of olfactory receptor neurons to the perception of pheromone component ratios in male redbanded leafroller moths 641
Ameismeier F, Loftus R: Response characteristics of cold cell on the antenna of *Locusta migratoria* L. 507
Archer SN, → Shand J

Bagnoli P, → Bingman VP
Bahde S, → Borst A
Bal T, Nagy F, Moulins M: The pyloric central pattern generator in Crustacea: a set of conditional neuronal oscillators 715
Barry MA, Hall DH, Bennett MVL: The elasmobranch spiracular organ. I. Morphological studies 85
Barry MA, White RL, Bennett MVL: The elasmobranch spiracular organ. II. Physiological studies 93
Bartke A, → Darrow JM
Bausenwein B, → Mayer M
Bennett MVL, → Barry MA
Bennett MVL, → Barry MA
Bentz I, → Canguilhem B
Bingman VP, Ioalé P, Casini G, Bagnoli P: Hippocampal ablated homing pigeons show a persistent impairment in the time taken to return home 559
Bischof H-J: The visual field and visually guided behavior in the zebra finch (*Taeniopygia guttata*) 329
Blaustein DN, → Derby CD
Bloch S, → Martinoya C
Bona-Gallo A, → Darrow JM
Borbély AA, → Tobler I
Borst A, Bahde S: Visual information processing in the fly's landing system 167
Bowmaker JK, Dartnall HJA, Herring PJ: Longwave-sensitive visual pigments in some deep-sea fishes: segregation of 'paired' rhodopsins and porphyropsins 685
Bräunig P: Identification of a single prothoracic 'dorsal unpaired median' (DUM) neuron supplying locust mouthpart nerves 835
Buiatti M, → Scapini F
Burrows M, Pflüger HJ: Positive feedback loops from proprioceptors involved in leg movements of the locust 425

Camhi JM, Levy A: Organization of a complex movement: fixed and variable components of the cockroach escape behavior 317
Camhi JM, → Goldstein RS
Canguilhem B, Vaultier J-P, Pévet P, Coumaros G, Masson-Pévet M, Bentz I: Photoperiodic regulation of body mass, food intake, hibernation, and reproduction in intact and castrated male European hamsters, *Cricetus cricetus* 549
Case JF, → Hiller-Adams P
Casini G, → Bingman VP
Chandrashekaran MK, → Viswanathan N
Coles RB, Guppy A: Directional hearing in the barn owl (*Tyto alba*) 117
Collett TS: How ladybirds approach nearby stalks: a study of visual selectivity and attention 355
Collett TS, Kelber A: The retrieval of visuospatial memories by honeybees 145
Collett TS, Udin SB: Frogs use retinal elevation as a cue to distance 677
Copp NH, Watson D: Visual control of turning responses to tactile stimuli in the crayfish *Procambarus clarkii* 175
Coumaros G, → Canguilhem B
Crewe RM, → Whiffler LA

Darrow JM, Duncan MJ, Bartke A, Bona-Gallo A, Goldman BD: Influence of photoperiod and gonadal steroids on hibernation in the European hamster 339
Dartnall HJA, → Bowmaker JK
Davenport ML, → Fleishman LJ
Derby CD, Blaustein DN: Morphological and physiological characterization of individual olfactory interneurons connecting the brain and eyestalk ganglia of the crayfish 777
Diekamp B, Schneider H: Neuronal processing of conspecific and related calls in the torus semicircularis of *Rana r. ridibunda* Pall. (Anura): single-unit recordings 301
Drusedau MUH, → Whiffler LA
Duncan MJ, → Darrow JM
Dye J: An in vitro physiological preparation of a vertebrate communicatory behavior: chirping in the weakly electric fish, *Apteronotus* 445

Ebihara S, → Yamada H
Eckert M, → Schmidt U
Elsner N, → Hedwig B
Ewert J-P, → Finkenstädt T

Feiler R, → Kirschfeld K
Finkenstädt T, Ewert J-P: Stimulus-specific long-term habituation of visually guided orienting behavior toward prey in toads: a ^{14}C-2DG study 1
Fleishman LJ, Howland HC, Howland MJ, Rand AS, Davenport ML: Crocodiles don't focus underwater 441
Franke Ch, → Zufall F
Friend WG, → Galun R
Füller E, → Kowalski U

Galun R, Friend WG, Nudelman S: Purinergic reception by culicine mosquitoes 665
Gerhardt HC, Klump GM: Phonotactic responses and selectivity of barking treefrogs (*Hyla gratiosa*) to chorus sounds 795
Goldman BD, → Darrow JM
Goldstein RS, Camhi JM: Modulation of activity in sensory neurons and wind-sensitive interneurons by cercal displacement in the cockroach 479
Gramoll S: Activity of metathoracic interneurons during stridulation in the acridid grasshopper *Omocestus viridulus* L. 813
Guppy A, → Coles RB

Hafner GS, Tokarski TR: The diurnal pattern of protein and photopigment synthesis in the retina of the crayfish, *Procambarus clarkii* 253
Hall DH, → Barry MA
Harrison L, Horseman G, Lewis B: The coding of the courtship song by an identified auditory neurone in the cricket *Teleogryllus oceanicus* (Le Guillou) 215
Hatt H, → Zufall F
Hedwig B, Lang F, Elsner N: The interference of sound and movement stimuli in tympanal receptors of *Locusta migratoria* 243
Heisenberg M, Wolf R: Reafferent control of optomotor yaw torque in *Drosophila melanogaster* 373
Heisenberg M, → Mayer M
Hengstenberg R: Mechanosensory control of compensatory head roll during flight in the blowfly *Calliphora erythrocephala* Meig. 151
Hennig RM: Ascending auditory interneurons in the cricket *Teleogryllus commodus* (Walker): comparative physiology and direct connections with afferents 135
Hepburn HR, → Whiffler LA
Herring PJ, → Bowmaker JK
Hetherington TE: Biomechanics of vibration reception in the bullfrog, *Rana catesbeiana* 43
Hiller-Adams P, Widder EA, Case JF: The visual pigments of four deep-sea crustacean species 63
Hisada M, → Nagayama T
Hopperdietzel C, → Wieczorek H
Hörner M, → Schildberger K
Hörner M, → Schildberger K
Horseman G, → Harrison L
Housley GD, → Montgomery JC
Howland HC, → Fleishman LJ
Howland HC, → Mathis U
Howland MJ, → Fleishman LJ

Ikeda K, → Yamaoka K
Ioalé P, → Bingman VP

Kaiser W: Busy bees need rest, too. Behavioural and electromyographical sleep signs in honeybees 565
Kass L, → Renninger GH
Kelber A, → Collett TS
Kirschfeld K, Feiler R, Vogt K: Evidence for a sensitizing pigment in the ocellar photoreceptors of the fly (*Musca, Calliphora*) 421
Klump GM, → Gerhardt HC
Kowalski U, Wiltschko R, Füller E: Normal fluctuations of the geomagnetic field may affect initial orientation in pigeons 593

Lang F, → Hedwig B
Larimer JL, → Moore D
Le Houezec J, → Martinoya C
Levy A, → Camhi JM
Lewis B, → Harrison L
Lewis RD, → Saunders DS

Loftus R, → Ameismeier F
Lythgoe JN, → Shand J

Macdonald JA, → Montgomery JC
Maier L, → Wiens TJ
Maler L, → Mathieson WB
Martinoya C, Le Houezec J, Bloch S: Depth resolution in the pigeon 33
Masson-Pévet M, → Canguilhem B
Mathieson WB, Maler L: Morphological and electrophysiological properties of a novel in vitro preparation: the electrosensory lateral line lobe brain slice 489
Mathis U, Schaeffel F, Howland HC: Visual optics in toads (*Bufo americanus*) 201
Mayer M, Vogtmann K, Bausenwein B, Wolf R, Heisenberg M: Flight control during 'free yaw turns' in *Drosophila melanogaster* 389
Menne D, → Sum YW
Mesce KA, Truman JW: Metamorphosis of the ecdysis motor pattern in the hawkmoth, *Manduca* sexta 287
Milde JJ, → Schildberger K
Möhl B: Short-term learning during flight control in *Locusta migratoria* 803
Montgomery JC, Macdonald JA, Housley GD: Lateral line function in an antarctic fish related to the signals produced by planktonic prey 827
Moore D, Larimer JL: Interactions between the tonic and cyclic postural motor programs in the crayfish abdomen 187
Moulins M, → Bal T

Nagayama T, Hisada M: Bilateral local nonspiking interneurons in the terminal (sixth) abdominal ganglion of the crayfish, *Procambarus clarkii* 601
Nagy F, → Bal T
Neumann D: Temperature compensation of circasemilunar timing in the intertidal insect *Clunio* 671
Neuweiler G, → Rübsamen R
Nudelman S, → Galun R

O'Connell RJ, → Akers RP
Oshima I, → Yamada H
Ottaviano O, → Scapini F

Partridge JC, → Shand J
Pelletier JL, → Renninger GH
Pévet P, → Canguilhem B
Pflüger HJ, → Burrows M
Potts GW, → Shand J

Rand AS, → Fleishman LJ
Rathmayer W, → Wiens TJ
Reichert H, → Ronacher B
Reichert H, → Wolf H
Renninger GH, Kass L, Pelletier JL, Schimmel R: The eccentric cell of the *Limulus* lateral eye: encoder of circadian changes in visual responses 259
Ronacher B, Stumpner A: Filtering of behaviourally relevant temporal parameters of a grasshopper's song by an auditory interneuron 517
Ronacher B, Wolf H, Reichert H: Locust flight behavior after hemisection of individual thoracic ganglia: evidence for hemiganglionic premotor centers 749
Ronacher B, → Wolf H
Rübsamen R, Neuweiler G, Sripathi K: Comparative collicular tonotopy in two bat species adapted to movement detection, *Hipposideros speoris* and *Megaderma lyra* 271

Sandeman DC, Varju D: A behavioural study of tactile localization in the crayfish *Cherax destructor* 525
Sato K, → Yamada H
Saunders DS, Lewis RD: The photoperiodic clock and counter mechanism in two species of flies: evidence for damped circadian oscillators in time measurement 365
Scapini F, Buiatti M, Ottaviano O: Phenotypic plasticity in sun orientation of sandhoppers 739
Schaeffel F, → Mathis U
Schildberger K, Hörner M: The function of auditory neurons in cricket phonotaxis. I. Influence of hyperpolarization of identified neurons on sound localization 621
Schildberger K, Milde JJ, Hörner M: The function of auditory neurons in cricket phonotaxis. II. Modulation of auditory responses during locomotion 633
Schimmel R, → Renninger GH
Schmidt U, Eckert M: The influence of early odour experience on the neural response of the olfactory bulb in laboratory mice 771
Schneider H, → Diekamp B
Schomburg ED, Steffens H: Rhythmic motor activity and phase dependent reflex transmission in the spinal tortoise (*Testudo graeca, T. hermanni*) 537
Shand J, Partridge JC, Archer SN, Potts GW, Lythgoe JN: Spectral absorbance changes in the violet/blue sensitive cones of the juvenile pollack, *Pollachius pollachius* 699
Shimada I, → Wieczorek H
Shumway CA, Zelick RD: Sex recognition and neuronal coding of electric organ discharge waveform in the pulse-type weakly electric fish, *Hypopomus occidentalis* 465
Sripathi K, → Rübsamen R
Stalder J, → Tobler I
Steffens H, → Schomburg ED
Stumpner A, → Ronacher B
Sum YW, Menne D: Discrimination of fluttering targets by the FM-bat *Pipistrellus stenopterus*? 349

Tamm SL: Calcium activation of macrocilia in the ctenophore *Beroë* 23
Temchin AN: Unusual discharge patterns of single fibers in the pigeon's auditory nerve 99
Teyke T: Flow field, swimming velocity and boundary layer: parameters which affect the stimulus for the lateral line organ in blind fish 53
Thorson J, → Weber T
Tobler I, Borbély AA: Sleep and EEG spectra in the pigeon (*Columba livia*) under baseline conditions and after sleep deprivation 729
Tobler I, Stalder J: Rest in the scorpion – a sleep-like state? 227
Tokarski TR, → Hafner GS
Truman JW, → Mesce KA

Udin SB, → Collett TS

Varju D, → Sandeman DC
Vaultier J-P, → Canguilhem B
Viswanathan N, Chandrashekaran MK: Limits of maternal entrainment of the activity rhythm in the field mouse *Mus booduga* 237
Vogt K, → Kirschfeld K
Vogtmann K, → Mayer M

Watson D, → Copp NH
Weber T, Thorson J: Auditory behavior of the cricket. IV. Interaction of direction of tracking with perceived temporal pattern in split-song paradigms 13
Whiffler LA, Drusedau MUH, Crewe RM, Hepburn HR: Defensive behaviour and the division of labour in the African honeybee (*Apis mellifera scutellata*) 401
White RL, → Barry MA
Widder EA, → Hiller-Adams P
Wieczorek H, Shimada I, Hopperdietzel C: Treatment with pronase uncouples water and sugar reception in the labellar water receptor of the blowfly 413
Wiens TJ, Maier L, Rathmayer W: The distribution of the common inhibitory neuron in brachyuran limb musculature. II. Target fibers 651
Wilkens LA: Hyperpolarizing photoreceptors in the eyes of the giant clam *Tridacna:* physiological evidence for both spiking and nonspiking cell types 73
Wiltschko R, → Kowalski U
Wolf H, Ronacher B, Reichert H: Patterned synaptic drive to locust flight motoneurons after hemisection of thoracic ganglia 761
Wolf H, → Ronacher B
Wolf R, → Heisenberg M
Wolf R, → Mayer M

Yamada H, Oshima I, Sato K, Ebihara S: Loss of the circadian rhythms of locomotor activity, food intake, and plasma melatonin concentration induced by constant bright light in the pigeon (*Columba livia*) 459
Yamaoka K, Ikeda K: Electrogenic responses elicited by transmembrane depolarizing current in aerated body wall muscles of *Drosophila melanogaster* larvae 705

Zelick RD, → Shumway CA
Zufall F, Franke Ch, Hatt H: Acetylcholine activates a chloride channel as well as glutamate and GABA. Single channel recordings from crayfish stomach and opener muscles 609

Indexed in *Current Contents*